

WHARFEDALE PRO R2004



Produttore : Wharfedale Pro
Cod.Art. : 10188

MIXER PASSIVO

La serie R di mixer Wharfedale Professional è progettata per offrire una qualità audio superiore in un sistema facile da usare, e di grande valore. La qualità delle serie R è tale che può essere utilizzato in una varietà di applicazioni professionali.

Caratteristiche principali

- 8 ingressi mono
- 8 ingressi mic
- 4 ingressi stereo con tripla banda di equalizzazione
- 2 uscite master
- 2 uscite alt
- 1 uscita monitor
- 1 uscita cuffia
- 1 uscita rec
- 2 mandate ausiliarie
- Alimentazione phantom a 48v
- kit per il montaggio a rack 19" in dotazione

Specifiche tecniche

- HUM AND NOISE: -127dB Equivalent Input Noise
- (Average, $R_s=150$): -95dB Residual Noise (MIX L / R, ALT 3~4, AUX SEND 1~2, CTRL ROOM) Master Fader at Nominal level and all
- Channel Assign Switch OFF
- Dimensions (HxWxD): mm 80.3x416x431 mm
- Weight: 7.3kg - 16.1 lbs
- MAXIMUM OUTPUT LEVEL: +22dB(MIX L / R, ALT 3~4) @600 ohm
- (0.5% T.H.D at 1kHz):

WHARFEDALE PRO R2004

- +22dB(AUX SEND1~2) @600 ohm
- +22dB(INSERT) @40k ohm
- +22dB(CTRL ROOM) @600 ohm
- Over 100mW (Headphone) @40 ohm
- MASTER EQ: Turnover / rollover frequency:located 3dB below the point of maximum amplification and attenuation
- HI EQ (+ / -15dB) 12kHz Shelving
- MID EQ (+ / -15dB) 100Hz~8kHz (EQ for Frequency Variable) Peaking
- LOW EQ (+ / - 15dB) 80Hz Shelving
- POWER CONSUMPTION AC 100V / 120V / 230V / 240V ,50~60Hz
- MAXIMUM LEVELS:
 - Mic in +4dBu
 - Tape in +13dBu
 - All other inputs +25dBu
- MAXIMUM VOLTAGE GAIN:
 - 72dB MIC IN TO MIX L / R,ALT 3~4
 - 72dB MIC IN TO AUX 1
 - 72dB MIC IN TO AUX 2(POST),EFX
 - 74dB MIC IN TO CONTROL ROOM L / R
 - 72dB MIC IN TO REC L / R
 - 54dB LINE IN TO MIX L / R,ALT 3~4
 - 58dB LINE IN TO AUX 1
 - 58dB LINE IN TO AUX 2(POST)
 - 60dB LINE IN TO CONTRAL ROOM L / R
 - 22dB ST IN TO MIX L / R,ALT 3~4
 - 20dB AUX RETURN L / R IN TO MIX L / R
 - 16dB TAPE IN TO MIX L / R
- INTERFERENCE (CROSSTALK) at 1kHz:
 - Main Fader Down: -85dBu Channel Alt / Mute Switch Engaged -80dBu
 - Channel Fader Down: -70dBu
 - MONO INPUT CHANNEL GAIN: 50dB variable (-60dB~-10dB), (-40dB~+10dB)
 - PEAK INDICATOR Input Channel:Turns on 3dB Under Pre-fader Signal Clip
 - LEVEL METERS 10-Segment LED x2 (Output of +4dB at 0dB)
- Main
L / R

Mixer > Mixer Passivi

WHARFEDALE PRO R2004

- PHANTOM POWER 48VDC

Prezzo : €299,00 IVA inclusa (~~€245,08 esclusa IVA~~)

Prezzo in offerta : €189,00 IVA inclusa (€154,92 esclusa IVA)