

## TASCAM MD-CD1MKIII



**TASCAM**  
TEAC PROFESSIONAL

Cod.Art. : 11310

### REGISTRATORE MINIDISK + LETTORE CD AUDIO MP3 MONTABILE A RACK 19" CON TELECOMANDO

Il Tascam MD-CD1 MKII combina le funzioni di riproduzione di CD e di registrazione di MiniDisc in una singola unità compatta e conveniente. Ciascun componente può essere usato in maniera indipendente in quanto è dotato di uscite dedicate; è anche presente un'uscita combinata per la riproduzione in continua di entrambe le sorgenti. MD-CD1 MKII ha una dotazione completa di funzioni professionali, il controllo del pitch, la riproduzione di CD con files MP3 completi di tags ID3, un connettore per tastiera PS/2 per la titolazione e il controllo delle funzioni di trasporto, una porta RS-232 e una scheda opzionale per ingressi e uscite bilanciate; in pratica è adatto a qualsiasi applicazione. I CD possono essere letti con una variazione di velocità da -50% a +16% anche con il mantenimento della tonalità originale (funzione "Master tempo"). I dischi possono essere duplicati da CD a MiniDisc con velocità fino a 4X; un telecomando a infrarossi è in dotazione.

#### Specifiche tecniche CD DECK

- Applicable discs: audio CD / CD-R / CD-RW / CD-ROM (MP3/WAV)
- CD-text display (Stop: Disc title, Play: Track title)
- ID3 tag display (Song title)
- -50 to +16% pitch control with selectable steps (0.1 to 1%) for audio CD
- +/-6 semi-tone key control in semi-tone steps for audio CD
- Key control without affecting playback speed
- Various playback modes: all / single / program (up to 99)

## TASCAM MD-CD1MKIII

tracks) / random

- Various repeat modes: all / single / program (up to 99 tracks) / random / A-B
- Auto cue (-72 to -24 dB in 6 dB steps)
- Auto ready
- Digital volume on output (-infinity, -54 to +18 dB)
- Fade in/out playback (1 to 30 seconds in 1 second steps)
- EOM (End of message) for indicate the end of track or disc (1 to 99 seconds in 1 second steps)
- Time search by numeric keys on remote controller
- Power on play
- Time display mode: track elapsed / track remain / disc elapsed / disc remain (When playing the MP3 file or WAV file: track elapsed)
- Directory play mode for MP3 discs or WAV discs
- RCA unbalanced analog output
- S/PDIF optical digital output
- S/PDIF coaxial digital output
- Remote control by PS/2 keyboard

### MINI DISK

- Supports SP (stereo) / MONO / LP2 / LP4 modes
- Recording in different mode (ST/MONO/LP2/LP4) in the disc and playback the disc which contain the different mode of the song is possible
- Edit functions: erase, divide, combine, move, title
- Grouping function and group playback
- Overwrite
- Auto track increment with input audio level and track information data from S/PDIF input
- Manual Track increment by pressing the record button during recording
- Sync recording by input audio signal
- Input monitor
- Digital volume on input (-infinity, -54 to +18 dB)
- Fade in and out recording (1 to 30 seconds in 1 second steps)
- Pre recording (off, 1 to 6 seconds in 1 seconds steps)
- Various playback modes: all / single / program (up to 25 tracks) / random / group
- Various repeat modes: all / single / program (up to 25 tracks)

## TASCAM MD-CD1MKIII

/ random / A-B

- Auto cue
- Auto ready
- EOM (End of message) for indicate the end of track or disc (1 to 99 seconds in 1 second steps)
- Time search by numeric keys on remote controller
- Power on play
- Time display mode: track elapsed / track remain / disc elapsed / disc remain
- RCA unbalanced analog input and output
- S/PDIF optical digital input and output (SCMS)
- S/PDIF coaxial digital input and output (SCMS)
- Remote control, editing, and title input by PS/2 keyboard

OTHERS

- Dimensions: 483xH94x308mm
- Weight: 5.4 kg

Prezzo : €949,00 IVA inclusa (€777,87 esclusa IVA)

---