

ROLAND VR3



Produttore : Roland Professional A/V
Cod.Art. : 22648

MIXER E RECORDER AUDIO VIDEO 5 CANALI PER STREAMING LIVE

ROLAND VR-3 è la tua stazione broadcast streaming-ready per attività didattiche, eventi congressuali e aziendali, dirette web e qualsiasi evento live.

Caratteristiche principali

- Video Switcher 4 Canali (4 ingressi video, ingresso PC)
- 4 canali audio Mono, 2 canali Stereo e 2 microfoni incorporati
- Scan converter integrato per gli ingressi da PC
- LCD monitor integrato con touch control per una più semplice selezione delle sorgenti video
- Transizioni Mix e Wipe, Picture in Picture e Split, Chroma Key e Luma Key

Specifiche tecniche VIDEO

- Input Connectors: VIDEO IN 1--4 jacks (Composite: RCA phono type) PC IN connector (DB-15 type)
- Output Connectors: VIDEO OUT 1, 2 jacks (Composite: RCA phono type) VIDEO OUT MULTI-PREVIEW jack (Composite: RCA phono type) PC THRU connector (DB-15 type) (THRU)
- Composite Video Format: NTSC or PAL PC IN: 800 x 600 (120 Hz), 832 x 624 (75 Hz), 1024 x 768 (80 Hz), 1152 x 864 (75 Hz), 1152 x 870 (75 Hz), 1280 x 720 (60 Hz), 1280 x 768 (75 Hz), 1280 x 800 (75 Hz)

ROLAND VR3

Hz), 1280 x 1024 (75 Hz), 1366 x 768 (75 Hz) *The refresh rate is the maximum value of each resolution.

- Sampling Rate: 4:2:2 (Y:R-Y:B-Y), 8-bit, 13.5 MHz (ITU-R BT.601)

- Input/Output Level and Impedance: Composite: 1.0 Vp-p, 75 ohms
PC IN: 0.7 Vp-p, 75 ohms (H,V:5V TTL)

AUDIO

- Input Connectors: AUDIO IN 1--4 jacks (XLR/TRS combo type, phantom power) AUDIO IN 5--6 jacks (RCA phono type) AUDIO IN 7--8

jack (Stereo miniature type) MIC (Internal stereo microphones)

- Phantom Power: DC 48 V (unloaded maximum), 5 mA (maximum load)

* Current value per channel.

- Output Connectors: AUDIO OUT L,R jacks (Stereo 1/4-inch phone type) AUDIO OUT L,R jacks (RCA phono type) PHONES jack (Stereo

1/4-inch phone type) (headphones) PHONES jack (Stereo miniature type) (headphones)

- Sampling Rate: 48 kHz (24-bit)

- Input Level and Impedance: XLR/TRS: -68--+4 dBu (Maximum: +22

dBu, 4 k ohms) RCA phono: -10 dBu (Maximum: +8 dBu, 15 k ohms) Miniature: -15 dBu (Maximum: +3 dBu, 15 k ohms)

- Output Level and Impedance: 1/4-inch phone/RCA phono: -10 dBu (Maximum: +8 dBu, 1 k ohm) Headphones: 25 mW + 25 mW, 10 ohms;

*0dBu=0.775Vrms

OTHER CONNECTORS

- USB connector: Hi-Speed USB: USB Type B, USB-VIDEO, USB-AUDIO Resolution: 720 x 480 (29.97fps/Motion-JPEG), Audio: 48kHz/16bit

- Remote: MIDI IN, OUT/THRU (5-pin DIN type)

- Display: Graphic color LCD 320 x 240 dots (touch screen)

- Power Supply: DC 9V

- Current Draw: 1.5 A

SIZE & WEIGHT

- Dimensions 303 x 202,7 x H80,3 mm

- Weight: 2 kg

ROLAND VR3

Prezzo : €1.929,00 IVA inclusa (€1.581,15 esclusa IVA)

Prezzo in offerta : €1.688,00 IVA inclusa (€1.383,61 esclusa IVA)

StrumentiMusicali.net