

## IK MULTIMEDIA AmpliTube LIVE + LE



IK Multimedia. Musicians First.

Cod.Art. : 2905

### EMULAZIONE DI AMPLIFICATORI/EFFETTI SOFTWARE PER CHITARRA

Software di amp modeling

AmpliTube Live + LE ha il miglior rapporto qualità/prezzo di qualsiasi altro sistema di amp modeling ed effetti per chitarra. Poiché la sua sonorità è stata modellata sulla base di amplificatori ed effetti del valore di migliaia di euro, il prezzo da accessorio per chitarra di AmpliTube Live diventa incredibilmente appetibile per qualsiasi chitarrista.

Include le versioni stand alone e plug-in multi formato

La confezione include sia la versione stand alone sia il plug-in multi formato per Mac e PC, per offrire la massima flessibilità all'interno del software di registrazione preferito, per esecuzioni live e per esercitazioni.

Combina 3 famosi amplificatori, 3 cabinet e 4 effetti classici

AmpliTube Live + LE include l'emulazione di alcuni dei più ricercati amplificatori per chitarra Vox®, Marshall® e Fender®. Si possono combinare amplificatori e casse per creare sino a 9 differenti combinazioni ed aggiungere 4 effetti classici per chitarra.

Utilizzo LIVE grazie all'accordatore, preset, wha-wha e volume

controllabili via MIDI Con AmpliTube Live + LE si possono cambiare i preset e controllare in real-time wha-wha e volume tramite pedali di controllo MIDI. Le combinazioni di amplificatori, cabinet, effetti, gestione MIDI e accordatore lo rendono la soluzione all-in-one ideale per esecuzioni dal vivo o per esercitarsi in qualsiasi luogo.

Caratteristiche

## IK MULTIMEDIA AmpliTube LIVE + LE

- 3 Amps, 3 EQs, and 3 Cabinets
- 4 classic effects, including Wah, Reverb, Delay, and Overdrive
- Built-in Tuner
- Stand alone (AmpliTube® Live) and plug-in (AmpliTube® LE)
- AmpliTube® Live 128 presets; AmpliTube® LE 66 presets
- MIDI foot controllable
- Play live or record on MacOS®X or Windows®!

### Requisiti Macintosh® OS X AmpliTube Live

- Minimal: 667MHz Power Macintosh® G4, with 512MB of RAM, MacOS X 10.2.8 or later, 1024x768 screen thousands of colors.
- Suggested: 1.25 GHz Power Macintosh® G4 or G5, with 1GB of RAM, low latency CoreAudio compatible Audio Interface.

### Requisiti Windows® AmpliTube Live

- Minimal: 733Mhz Pentium® III/Athlon™ with 512MB of RAM, Windows® 2000 /XP, 1024x768 screen thousands of colors.
- Suggested: 2.4 GHz Intel Pentium® IV/Athlon™ with 1GB of RAM, low latency ASIO compatible Audio Interface.

### Requisiti Macintosh® OS X AmpliTube LE

- Minimal: 667MHz Power Macintosh® G4, with 512MB of RAM, Mac OS X 10.2.8 or later, 1024x768 screen thousands of colors.
  - Suggested: 1.25 GHz Power Macintosh® G4, with 1GB of RAM. Mac OS X 10.2.8 or later, 1024x768 screen thousands of colors.
- ASIO compatible sound card recommended for Low Latency real time play.
- AmpliTube supports the AU, VST, RTAS, HTDM Plug-in formats on

## IK MULTIMEDIA AmpliTube LIVE + LE

Mac  
OSX based systems.

Requisiti Windows® AmpliTube  
LE

- Minimal: 733Mhz Pentium® III/Athlon™ with 512MB of RAM,  
Windows® 2000/XP or Windows® 98se, 1024x768 screen  
thousands of  
colors.

- Suggested: 2.4 GHz Intel Pentium® IV/Athlon™ with 1GB of  
RAM, Windows® 2000/XP, and 1024x768 screen thousands of  
colors.

ASIO compatible sound card recommended for low latency real time  
play. AmpliTube supports the DX, VST, and RTAS Plug-in formats  
on  
Windows 2000/XP based systems.

Prezzo : €79,00 IVA inclusa (€64,75 esclusa IVA)

---