

## PROEL Wm202huk

No image

**PROEL**

Cod.Art. : 38776

### RADIOMICROFONO HEADSET UHF 863 - 865 MHZ SWITCHING

Radiomicrofono headset a frequenza fissa banda UHF 863 - 865 Mhz switching diversity ? distanza operativa massima fino a 30 metri / 100 feet ? risposta in frequenza 50 Hz - 15 KHz ? Headset con capsula condensatore con pattern cardioide . l'utilizzo in contemporanea di due sistemi su frequenze diverse è condizionato dalle possibili interferenze generate da altri trasmettitori radio ? Custodia in ABS inclusa nella confezione. Il sistema comprende valigetta in abs , ricevitore , bodypack ,headset, alimentatore ac/dc

Caratteristiche

#### TECHNICAL SPECIFICATIONS

WM202H UK

Body pack

RF Frequency Band  
863 ~ 865 Mhz

Frequency Stability

---

## PROEL Wm202huk

0,0002

Modulation Method  
FM ( F3E )

RF Max deviation  
± 40 Khz

Audio Frequency  
Response  
50 Hz - 15 Khz

Transducer Type  
Condenser Head set

Polar Pattern  
Cardioid

Spurious Emission  
Under limits EN 300422

RF Power  
<10 dBm

Power Supply  
2 x 1,5 V alkaline Battery

Dimension ( W x D x H )  
mm  
100x 65 x 30

Receiver

Receiver Band  
UHF Band Diversity

RF Frequency  
Band

---

## PROEL Wm202huk

863 ~ 865 Mhz

Frequency Stability  
0,0002

RF Image spurious Rej.  
- 70 dB

RF Interference reject  
> 70 dB

RF Sensibility  
- 105 dB

Audio Frequency  
Response  
50 - 15 KHz

THD  
< 1%

Dynamic Range  
> 100 dB

S/N Ratio  
> 70 dB

Output Connector  
XLR Balanced

1/4 jack unbalanced

Power supply  
dc 13-15 Vdc 200 mA

Dimension ( W x D x H  
)  
175 x 135 x 45

Prezzo : €0,00 IVA inclusa (€0,00 esclusa IVA)

---

## PROEL Wm202huk

---

strumentiMusicali.net