

IK MULTIMEDIA Stomp IO USB - Pedalboard e Interfaccia Audio



IK Multimedia. Musicians First.

Cod.Art. : 5740

PEDALIERA DI CONTROLLO USB + SCHEDA AUDIO

The StompIO, USB floor controller and audio interface, gives you full control over the 5 current "Powered by AmpliTube" software/plugin (AmpliTube 2, AmpliTube Jimi Hendrix™, Ampeg SVX, AmpliTube Metal and AmpliTube 2 Live) and also future packages, with the same feeling of a traditional hardware floor processor - no need to even look at the computer screen or touch the mouse - for a combination of hardware and software making it the most powerful guitar amp and FX system ever made. You can finally play live with ultimate amp and FX modeling software and an unprecedented sound quality, power and flexibility-which will revolutionize your stage and studio guitar and bass rigs. Immediately access thousands of amp combinations and hundreds of effects with fully selectable and configurable stomp boxes, amp-heads, cabinets + mics and rack effects. All of this can be used as standalone software for live play or integrated as a plug-in with the most popular DAWs such as Pro Tools®, Cubase®, Logic®, Live™ and more.

Control list

- 4 digits large LED display
- 2x40 characters LCD display
- Volume knob
- 3 LEDs input level meter
- 4 navigation buttons
- Instant Tuner recall button
- 6 rotary encoders

IK MULTIMEDIA Stomp IO USB - Pedalboard e Interfaccia Audio

- 10 foot switches
- Ability to connect 6 external controllers, with pedal/switch connections

Connection list

- Ultra-low latency USB (<10ms)
- Instrument input
- Direct OUT
- Unbalanced STEREO OUT
- Balanced STEREO OUT
- Digital S/PDIF OUT
- Headphones OUT
- MIDI IN/OUT
- 6 external controllers, pedal/switches

Audio features

- 24 bit A/D - D/A conversion
- 44.1 or 48 kHz operation
- >102 dB SNR
- >100 dB dynamic range
- Class A discrete input preamp
- High end A/D - D/A stages
- High performance analog circuitry
- True +4dBu balanced outputs

Inclusi

- 5 software: AmpliTube 2, Ampeg® SVX, AmpliTube Jimi Hendrix™, AmpliTube Metal (disponibile solo per chi è in possesso ed ha registrato AmpliTube 2), AmpliTube X-GEAR
- Pedale di espressione
- Cavo USB
- Alimentatore

Requisiti di

IK MULTIMEDIA Stomp IO USB - Pedalboard e Interfaccia Audio

sistema

- Power PC based Macintosh®
- Minimal: dual 1 GHz G4 processor, 1GB of RAM, Mac OS X 10.4 or later. One free USB port.
- Suggested: dual 2 GHz G5 processor, 2 GB of RAM, Mac OS X 10.4 or later. One free USB port.
- Supported Plug-in formats: AU, VST, RTAS.
- Intel based Macintosh®
- Minimal: 1.5 GHz Intel processor, 1 GB of RAM, Mac OS X 10.4.4 or later. One free USB port.
- Suggested: 2.3 GHz Intel Core Duo processor, 2 GB of RAM, Mac OS X 10.4.4 or later. One free USB port.
- Supported Plug-in formats: AU, VST, RTAS.
- Windows®
- Minimal: Pentium 4 / Athlon XP processor, 1 GB of RAM, Windows XP, Windows Vista or Windows 7, 32 or 64 bit. One free USB port. Suggested: 2.33 GHz Intel Core Duo processor, 2 GB of RAM, Windows XP, Windows Vista or Windows 7, 32 or 64 bit. One free USB port.
- Supported Plug-in formats: VST, RTAS.

Prezzo : €799,00 IVA inclusa (€654,92 esclusa IVA)
