

ROLAND V440HD



Produttore : Roland Professional A/V
Cod.Art. : 9287

MIXER VIDEO 4 CANALI HD E 4 SD

Il V-440HD è in grado di commutare tra quattro sistemi di input HD/RGB e quattro sistemi di ingresso SD per il passaggio senza soluzione di continuità tra HD, RGB e ingressi SD. Non c'è bisogno di avere convertitori separati per gestire ogni tipo di formato.

Caratteristiche
VIDEO FORMAT:

- SD: NTSC or PAL; CVBS; S; Y/C;
- HD: 1080/59.94i/50i;
- SMPTE274M; Y:Pb:Pr TriLevel Sync; 720/59.94p/50p;
- SMPTE296M; Y:Pb:Pr TriLevel Sync;
- RGB: 640x480/60/75, 800x600/60/75, 1024x768/60/75, 1280x768/60/75, 1280x1024/60
- (RGB VH:positive/negative logic)
- *VESA DMT Version 1.0 Revision 10 conform

VIDEO SAMPLING

- SD: 4:2:2; Y:B-Y:R-Y;, 8-bit, 13.5 MHz(BT.601)
- HD: 4:4:4; Y:Cb:Cr;, 8-bit, 74.1758 MHz/74.25 MHz
- RGB: 4:4:4; R:G:B;, 8-bit, 25 MHz to 110 MHz
- VIDEO TRANSITION: Cut, Dissolve(MIX), Wipe : 6Patterns, Reverse, SoftEdge, OneWay COMPOSITION FX:
- Picture in Picture, Chroma Key (Blue/Green), Luminance Key(White/Black)
- Picture in Picture with Zoom/Pan (HD/RGB side only)
- MULTI-SCREEN PRESENTATION:
- Screen Setup : 2 screens x 1 line, 3 screens x 1 line, 2

ROLAND V440HD

- screens x 2 lines, 3 screens x 2 lines
- SYNCHRONIZATION OF MULTIPLE UNITS BY MIDI:
- Control the slave unit(s) from master unit
- MASTER FADE: 0 to 4 seconds Black or White
- SD INPUT:
- S-Video (Y/C) Preferential x 4 :- 4-pin mini DIN type
- (Y: 1.0 Vp-p, C: 0.286 Vp-p, 75 ohms)
- Video (composite) x 4 :- BNC type (1.0 Vp-p, 75 ohms)
- HD/RGB Input BNC Type x 4
- HD : Y/Pb/Pr (1.0Vp-p, 75ohms, TriLevel Sync)
- RGB : R/G/B (0.7Vp-p, 75ohms), H (5VTTL), V (5VTTL)
- D-SUB 15pin Shrink Type for HD/RGB;x 4
- *For In or ThruOut use, select BNC Type or D-sub Type
- SD OUTPUT:
- PGM S-Video (Y/C):-
- 4-pin mini DIN type
- (Y: 1.0 Vp-p, C: 0.286 Vp-p, 75 ohms)
- PGM Video (composite) :-
- BNC type (1.0 Vp-p, 75 ohms)
- Preview :-
- BNC type (1.0 Vp-p, 75 ohms), OSD Menu Output
- HD Output PGM Component HD:-
- BNC Type x2 (1.0Vp-p, 75 ohms, TriLevel Sync)
- Preview Component HD :-
- BNC type (1.0 Vp-p, 75 ohms, TriLevel Sync)
- OSD Menu Output (display On/Off is selectable)
- RGB OUTPUT:
- PGM RGB :-
- D-sub 15pin Shrink Type x2 (0.7Vp-p, 75 ohms, 5VTTL Sync)
- Preview RGB :-
- D-sub 15pin Shrink type (0.7 Vp-p, 75 ohms, 5VTTL Sync)
- OSD Menu Output (display On/Off is selectable)
- REMOTE CONTROL INTERFACES: MIDI 5pin DIN Type (In, Out/Thru),

ROLAND V440HD

RS-232C D-sub 9pin

TALLY OUTPUT: D-sub 15pin Shrink type x2 (1 for SD/1 for HD);

Max

Input : 12V, 200mA Open collector Type

- Power Supply: AC 117 V, AC 230 V, AC 240 V (50/60 Hz), AC 220 V (60 Hz)

- Power Consumption: 50W

- Dimensions: 482(W) x 308(D) x 130(H)mm

- Weight: 6.8 kg or 15 lbs

Prezzo : €10.490,00 IVA inclusa (€8.598,36 esclusa IVA)

Prezzo in offerta : €9.890,00 IVA inclusa (€8.106,56 esclusa IVA)